

No.48, Zhongshan Rd., Tucheng Dist., New Taipei City 236, Taiwan.

Tel: +886-2-2267-2585 Fax: +886-2-2267-2997


E-mail: ching.hsing@msa.hinet.net

www.chinghsing.com.tw





Design and R&D of a wide array of FILM and SHEET EXTRUDING MACHINES



Dual Color Sheet Extruder

PET Single / Multilayer Sheet Extruder

PLA Sheet Extruder

TPU Film Extruder


PP, HIPS Multilayer-Sheet Extruder

PC / PMMA Optical Film Extruder

PP / PC Flame Retardancy Sheet Extruder



CHING HSING IRON WORKS CO., LTD. www.chinghsing.com.tw





Design and R&D of a wide array of FILM and SHEET EXTRUDING MACHINES

Dual Color Sheet Extruder

PET Single / Multilayer Sheet Extruder

PLA Sheet Extruder

TPU Film Extruder

PP, HIPS Multilayer-Sheet Extruder

PC / PMMA Optical Film Extruder

PP / PC Flame Retardancy Sheet Extruder





Ching Hsing Iron Works Co., Ltd. is the leading brand of plastic extrusion equipment manufacturing in Taiwan.

Established in 1953 by founder Qing Hai Lin, is engaged in the design and R&D of a wide array of film and sheet extruding machines.

With over three decades' continuous devotion to improving precision production technology, we are capable of providing customers with superlative extruding machines featuring comprehensive stability and durability, and have won their high approval and trust.

In recent years, packaging materials for food, industrial items and medicines, such as PET, PLA, and TPU, have replaced PVC, which contains toxic elements proven to endanger our living environment and human lives. To produce extruding machine models meeting the latest needs, we' ve spent a lot of time and energy on R&D, and have come up with spectacular results.

We moved to our new plant at the beginning of 2005, and are continuing to produce superior extruding machines. In the years ahead, we will develop much more superior models for our customers, creating mutually beneficial business opportunities and profits.

Dual Color Sheet Extruder

Side by side coextruded structures:

- Sheet for thermoformed food packaging hinged containers.
- Salad hinged container.
- Bakery hinged containers, eggs hinged containers.
- Point of purchase displays.

Features:


- · Adjustable width of stripes.
- Multimanifold dies, single manifold dies, without coextrusion feedblocks.
- Versatility to process various resins-PP / PET / HIPS.




Featuring high transparency and excellent water-resistance, PLA (poly-lactic-acid) is physically similar to plastics, yet it is 100% decomposable. Egg containers, bread containers, cake boxes, fresh-food trays, drink cups, bowls, and meal boxes made of PLA can be thoroughly decomposed after being used and buried.



| Item | Description |
|-----------------------|--------------------------|
| Materials | PET/PP |
| Extrusion Line | Multi-layer Extruder |
| Capacity | 600kg/hr |
| Line Speed | 40M/min |
| T-Die | Sheet width 600mm~1000mm |
| Product thickness | 0.2~2.0mm |
| Chill Rollers | φ 300~ φ 450mm x 3sets |
| Screen Changer | 2sets |
| Gear Pump | 1set |
| Thickness Scanner | 1set |
| Haul-off Equipment | 1set |
| Silicone coating unit | 2sets |
| Coating Drying | 2sets - |
| Triming | 1set |
| Edge Sheet Crusher | 1set |
| Winder | 1set |







| tem | Description |
|-----------------------|------------------------|
| Materials | PLA |
| Extrusion Line | Single Screw Extruder |
| Capacity | 200kg/hr~800kg/hr |
| Line Speed | 40M/min |
| T-Die | Sheet width 600~1000mm |
| Product thickness | 0.2~2.0mm |
| Chill Rollers | φ 300~ φ 600mm x 3sets |
| Screen Changer | 1~2sets |
| Gear Pump | 1set |
| Thickness Scanner | 1set |
| Haul-off Equipment | 1set |
| Silicone coating unit | 2sets |
| Coating Drying | 2sets |
| Triming | 1set |
| Edge Sheet Crusher | 1set |
| Winder | 1set |
| | |

PS. We manufacture machinery to meet customers' requirement.



PET Single Sheet Extruder

Featuring precision control and saving electricity consumption, this model has earned a solid reputation in Taiwan, mainland China, Thailand, Indonesia, and South America. It produces PET sheets featuring high transparency, high brightness, high strength, high resilience, and environment-friendliness, which are now replacing PVC sheets.



PET Multilayer Sheet Extruder

- PET sheets are applicable for: Transparent containers for various types of fruit, vegetables, salads, eggs and sashi
- Molded transparent trays
- Cups, lids, cake-box covers
- Industrial packages: Blister sheets for stereo equipment, toys, and com munications product parts, as well as antistatic packages and packages for electronics parts
- Medicine packages: Medicine/capsule packages
- Hand-folded boxes: Cosmetics cases, chocolate boxes, flowerboxes, and toy boxes



| Item | Description |
|-----------------------|---|
| Materials | PET |
| Extrusion Line | Main Extruder \$400mm \tag 160mm Co Extruder \$65mm \tag 90mm |
| Capacity | 300kg/hr~1200kg/hr |
| Line Speed | 60M/min |
| T-Die | Sheet width 600~1450mm |
| Product thickness | 0.2~2.0mm |
| Chill Rollers | φ 300~ φ 600mm x 3sets |
| Screen Changer | 1~2sets |
| Gear Pump | 1set |
| Thickness Scanner | 1set |
| Haul-off Equipment | 1set |
| Silicone coating unit | 2sets 2sets |
| Coating Drying | 2sets |
| Triming | 1set |
| Edge Sheet Crusher | 1set |
| Winder | 1set |










This model provides TPU sheets, which is weatherproof, nontoxic, recyclable, and decomposable, and features high-tensile strength, excellent friction resistance, and superior flexibility, meeting the most critical end-application demands. Now this model is widely applied in the USA and Europe, flexible TPU sheets are top-grade materials for diving suits, waterbeds, windbreakers, snow jackets, plasma bags, shoes, knee pads, etc.


Available in models producing double/triple-layer sheets, this machine, allows separate sheet-thickness adjustment, procides special deckles to adjust width sheets and can produce featuring both bright sides. The cost will be much lower than before.




| Item | Description | |
|--------------------|------------------------|--|
| Materials | TPU | |
| Extrusion Line | Main Extruder | |
| Capacity | 100kg/hr~250kg/hr | |
| Line Speed | 20M/min | |
| T-Die | Film Width 900~1800mm | |
| Product thickness | 0.015~1.5mm | |
| Chill Rollers | φ 300~ φ 600mm x 3sets | |
| Screen Changer | 1~2sets | |
| Gear Pump | 1set | |
| Thickness Scanner | 1set | |
| Haul-off Equipment | 1set | |
| Triming | 2set | |
| Edge Sheet Crusher | 1set | |
| Winder | 1set | |
| | | |

PS. We manufacture machinery to meet customers' requirement.





| Item | Description | |
|-----------------------|------------------------|--|
| Materials | PP/HIPS | |
| Extrusion Line | Main Extruder | |
| Capacity | 200kg/hr~1000kg/hr | |
| Line Speed | 40M/min | |
| T-Die | Sheet Width 600~850mm | |
| Product thickness | 0.2~2.0mm | |
| Chill Rollers | ф 300~ ф 600mm x 3sets | |
| Screen Changer | 1~2sets | |
| Gear Pump | 1set | |
| Thickness Scanner | 1set | |
| Haul-off Equipment | 1set | |
| Silicone coating unit | 1set | |
| Coating Drying | 1set | |
| Triming | 1set | |
| Edge Sheet Crusher | 1set | |
| Winder | 1set | |









PC/PMMA Optical Film Extruder PP/PC Flame Retardancy Sheet Extruder


IMD Film a breakthrough applied technology that make products more scratch-resisted, and save process lead time and labor cost.

This technology can apply in 3C industry. automotive components, and cosmetics products, such as mobile phone housing, all kinds of keypads, laptop casing, cosmetics bottle... and so on.

Characteristics of IMF film Not sticky after high temperature bake No cracks after 90° high pressure and high temperature forming

Pass a variety of chemical solution test

Pass Cross Test



| Item | Description | |
|--------------------|--|--|
| Materials | PMMA / PC / PP / ABS | |
| Extrusion Line | Main Extruder ø 100mm~ ø 150mm Co Extruder ø 65mm~ ø 90mm | |
| Capacity | 300kg/hr~800kg/hr | |
| Line Speed | 10M/min | |
| T-Die | Sheet Width 800~1500mm | |
| Product thickness | 2~10mm | |
| Chill Rollers | φ 300~ φ 600mm x 3sets | |
| Screen Changer | 2sets | |
| Gear Pump | 1set | |
| Thickness Scanner | 1set | |
| Haul-off Equipment | 1set | |
| Lamination | 1set | |
| Triming | 1set | |
| Winder | 1set | |
| | | |

PS. We manufacture machinery to meet customers' requirement.

